=> IFW: Scan as Doc Code: SRNT <= Doc Date:

## TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/686,481

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

Day : Friday Date: 7/14/2006

Time: 10:20:55

## o PALM INTRANET

## **Inventor Information for 10/686481**

Inventor Name	City	State/Country
HIROTA, HISATOSHI	TOKYO	JAPAN
KAJIWARA, MORIMITSU	TOKYO	JAPAN
Appln Info Contents Petition Info	Atty/Agent Info	Continuity/Reexam Foreign
Search Another: Application#	Search or Pat	tent# Search
PCT / Sea	or PG PU	JBS # Search
Attorney Docket #		Search
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

			T = -	·	T 222 27 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
1	US	20060523	Constant	62/527	251/129.15	Hirota;
	7047763		differential			Hisatoshi
	B2		pressure			
			valve	251 (122 25		77.
1	US	20060509	Constant	251/129.07		Hirota;
	7040595		flow rate			Hisatoshi
	B2		expansion			
		<u> </u>	valve			
1	US	20060502	Solenoid	236/92B	251/129.15;	Hirota;
	7036744		valve-		62/225	Hisatoshi
	B2		equipped			
			expansion			
	110	20060404	valve	417/202		TT' /
1	US	20060404	Variable	417/222.2		Hirota;
	7021901		displacement			Hisatoshi
	B2	20060220	compressor	417/222		et al.
1	US	20060328	Capacity	417/222.2		Hirota;
	7018179		control valve			Hisatoshi
	B2		for variable			
			displacement	-		
1	TIC	20060221	compressor	417/219	127/625 64	YY:4
1	US 7014427	20060321	Capacity controller of	417/218	137/625.64; 417/212	Hirota; Hisatoshi
	7014427 B1				41//212	Hisatosni
	BI		capacity variable			
1	US	20060214	compressor  Method of	62/192	62/225;	Hirota;
1	6997001	20000214	operating a	02/192	62/228.5	Hisatoshi
	B2		refrigeration		02/228.3	nisatosiii
	B2		cycle			
1	US	20060214	Refrigeration	62/174	62/197;	Hirota;
1	6997000	20000214	system and	02/1/4	62/216;	Hisatoshi
	B2		method of		62/503	Tisatosiii
	B2		operation		02,303	
			therefor			
1	US	20060117	Differential	251/30.04	251/30.03	Hirota;
•	6986498	2000011.	pressure	251,50.0.	201/00/02	Hisatoshi
	B2		valve			et al.
1	US	20051122	Outflow	165/286	137/115.05;	Hirota;
-	6966365		prevention		137/599.14;	Hisatoshi
	B2		device		62/197	et al.
1	US	20051025	Solenoid	137/613	137/491;	Hirota;
-	6957663		control valve		251/129.08;	Hisatoshi
	B2				251/129.18;	et al.
					251/30.01	
1	US	20050510	Method of	73/719	73/720;	Hirota;

	6889554 B2		adjusting pressure sensor		73/726	Hisatoshi et al.
1	US 6866242 B2	20050315	Proportional valve	251/129.07	251/129.17	Hirota; Hisatoshi
1	US 6860294 B2	20050301	Four-way switching valve	137/625.43	137/596.17	Hirota; Hisatoshi et al.
1	US 6823897 B2	20041130	Four-way switching valve	137/885	137/625.43; 62/324.6	Hirota; Hisatoshi et al.
1	US 6810911 B2	20041102	Four-way switching valve	137/625.43	137/625.49	Hirota; Hisatoshi et al.
1	US 6804970 B2	20041019	Method of controlling refrigeration cycle	62/133	62/228.3; 62/228.5	Saeki; Shinji et al.
1	US 6783110 B2	20040831	Proportional solenoid valve	251/129.21	251/129.08	Hirota; Hisatoshi et al.
1	US 6712281 B2	20040330	Expansion valve	236/92B	62/474	Hirota; Hisatoshi et al.
1	US 6694760 B2	20040224	Refrigerating cycle	62/181	62/178; 62/527	Hirota; Hisatoshi et al.
1	US 6662582 B2	20031216	Displacement control valve	62/228.3	417/222.2	Hirota; Hisatoshi et al.
1	US 6662581 B2	20031216	Variable displacement compressor and displacement control valve for variable displacement compressor	62/228.3	417/222.2	Hirota; Hisatoshi et al.
1	US 6612542 B2	20030902	Motor operated butterfly valve	251/129.12	137/870; 251/180; 251/77; 454/333	Hirota; Hisatoshi et al.
1	US 6612503	20030902	Expansion valve	236/92B	251/337; 62/225	Hirota; Hisatoshi

	B2	1				et al.
1	US 6543672 B2	20030408	Method of forming vacuum chamber of control valve for variable capacity compressor	228/175	228/124.6; 228/177; 228/218; 228/226; 29/888.02; 29/888.044; 73/754	Hirota; Hisatoshi et al.
1	US 6532764 B1	20030318	Degree of supercooling control type expansion valve	62/527	62/528	Hirota; Hisatoshi et al.
1	US 6520419 B2	20030218	Supercooling degree control type expansion valve	236/92B	137/513.5	Hirota; Hisatoshi et al.
1	US 6484950 B2	20021126	Expansion valve	236/92B	137/315.11; 137/454.2; 62/225; 62/299	Hirota; Hisatoshi et al.
1	US 6457696 B1	20021001	Pilot operated flow regulating valve	251/30.02	251/33; 251/61.4	Hirota; Hisatoshi
1	US 6443708 B1	20020903	Compression volume control apparatus for refrigeration cycle	417/222.2		Hirota; Hisatoshi
1	US 6425528 B2	20020730	Expansion valve	236/92B	137/375; 62/225	Hirota; Hisatoshi et al.
1	US 6394761 B1	20020528	Capacity controller of capacity variable compressor	417/222.2	417/222.1	Hirota; Hisatoshi
1	US 6351959 B1	20020305	Refrigerating cycle with a by-pass line	62/198	62/217	Hirota; Hisatoshi
1	US	20011113	Pilot-	251/30.01	251/33	Hirota;

	6315266 B1		operated flow regulating valve			Hisatoshi et al.
1.	US 6314753 B1	20011113	Supercooling degree-controlled expansion valve	62/528	137/543.23	Hirota; Hisatoshi et al.
1	US 6305179 B1	20011023	Expansion valve of refrigerating cycle consisting of capacity variable compressor	62/225	236/92B	Hirota; Hisatoshi
1	US 6302656 B1	20011016	Solenoid controlled valve and variable displacement compressor	417/222.2		Hirota; Hisatoshi
1	US 6296194 B1	20011002	Expansion valve	236/92B	236/92R	Hirota; Hisatoshi et al.
1	US 6279331 B1	20010828	Vehicular refrigerating cycle with a bypass line	62/117	62/196.4; 62/228.5	Hirota; Hisatoshi
1	US 6270015 B1	20010807	Radiator for a vehicle	237/12.3B	62/3.2	Hirota; Hisatoshi
	US 6267562 B1	20010731	Variable displacement compressor	417/222.2		Hirota; Hisatoshi
1	US 6192695 B1	20010227	Refrigerating cycle	62/196.4	62/159; 62/503	Hirota; Hisatoshi
1	US 6152178 A	20001128	Four-way directional control valve	137/625.43	251/30.01	Hirota; Hisatoshi et al.
1	US 6145541 A	20001114	Four-way selector valve	137/627.5	137/596.15; 137/596.16; 137/596.18	Hirota; Hisatoshi
	US	1	1			

	5996369		conditioner		137/884;	Hisatoshi
	A		with sub-		251/118	
			condenser			
1	US	19971230	Capacity	417/222.2	417/270;	Hirota;
	5702235		control		91/505	Hisatoshi
	A		device for			et al.
			valiable-			
			capacity	:		
			compressor			
1	US	19940419	Expansion	236/92B	62/225	Hirota;
	5303864		valve			Hisatoshi
	A					
1	US	19880202	Pressure	73/725	338/32R;	Hirota;
	4722229		transducer		338/42	Hisatoshi
	A				,	et al.
1	US	19860729	Pressure	73/725	338/32R;	Hirota;
	4602513		converter		338/42	Hisatoshi
	A					et al.
1	US	19860603	Dual action	200/83J	200/81.4;	Hirota;
	4593166		pressure		200/83P	Hisatoshi
	Α		switch			et al.
1	US	19860527	Three-	200/83J	200/81.4;	Hirota;
	4591677		function		200/83P	Hisatoshi
	A		pressure			et al.
			switch			

•

.

•